

IAPMO R&T OCEANA

1040 Dandenong Road, Carnegie VIC 3163 AUSTRALIA



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

WATERMARK LICENCE

WaterMark Level 2

IAPMO R&T Oceana hereby grants to:

Akatherm BV

Industrieterrien 11, Panningen, Netherlands, 5981 NK

the right to use the WaterMark in accordance with the "Procedures for Certification of Plumbing and Drainage Products - WaterMark Technical Specification" and the Plumbing Code of Australia only in respect of the certified product as described in the attached WaterMark Schedule. The Licence is granted subject to the rules governing the Watermark Certification Scheme and the Terms and Conditions for WaterMark Certification.

Evaluated to:

WMTS-483:2017 Odour control filter

Manufacturer:

Refer to Licence Holder

Licence No.: WM-022829

(Certificate of Certification No.: IAPMO-WM-022829-I01-R00)

Certified Date: 30 July 2018

Issue Date: 30 July 2018

Expiry Date: 29 July 2021

A handwritten signature in cursive script that reads "Russ Chaney".

Chief Executive Officer of the IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.



WATERMARK SCHEDULE - LEVEL 2



Licence Holder: Akatherm BV	Licence No.: WM-022829
Address: Industrierrein 11 Panningen, 5981 NK The Netherlands	Issue Date: 30-Jul-18
	Expiry Date: 29-Jul-21
	First Certified: 30-Jul-18
	Standard/s: WMTS-483:2017 Odour control filter
Manufacturer: Refer to Licence Holder	

Model identification of the products on which the WaterMark logo may be used

Std/Spec: WMTS-483:2017

Licence No.: WM-022829

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	Rated Capacity	Material	Additional Product Information
Studor	Maxi-Filtra	8F-STU019-BLK	Vent Valves	Odour control filter compliant with Method 2 of Appedix C	DN 80/100 push fit	2 L/s @ 0.100 kPa 5 L/s @ 0.250 kPa 8 L/s @ 0.500 kPa	ABS	Replacement activated carbon filter to reduce hydrogen sulfide gas and ammonia

END RECORD

END RECORD

Chief Executive Officer of the IAPMO Group