


# CERTIFICATE

<b>Certificate holder</b>	<b>Akatherm B.V.</b> <b>PO Box 7149</b> <b>5980 AC PANNINGEN</b> <b>NETHERLANDS</b>
<b>Production facility</b>	Dymotek, USA
<b>Product</b>	Air admittance valves for drainage systems
<b>Type, Model</b>	Maxi-Vent
<b>Testing basis</b>	DIN EN 12380:2003-03 Certification scheme Air admittance valves for drainage systems (2003-10)
<b>Mark of conformity</b>	
<b>Registration No.</b>	011-7B008
<b>Valid until</b>	2020-07-31
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.  See annex for further information.

# ANNEX

<b>Certificate</b>	011-7B008 dated 2018-02-15
<b>Technical Data</b>	Designation: A I  Airflow capacity (250/101325 Pa): DN 75 35,1 l/s DN 90 35,2 l/s DN 110 36,0 l/s  Airtightness tested at: 500/10000 Pa  Range of temperature: -40 °C to +60 °C  Effectiveness at temperatures below 0 °C: -40 °C
<b>Testing laboratory/ Inspection body</b>	BRE Ltd Bucknalls Lane, Garston Watford WD259XX UNITED KINGDOM  NSF International Field Services 789 N. Dixboro Road Ann Arbor MI 48113 USA
<b>Test report(s)</b>	Product test 660X001 dated 2010-07-08 Factory inspection 320386 dated 2009-09-21 Factory inspection 320386 dated 2011-11-10 Factory inspection 320386 dated 2012-11-28 Product test 288614 dated 2013-07-17 Product test 290796 dated 2013-10-18 Factory inspection 3203860 dated 2013-11-01 Factory inspection dated 2014-12-17 Product test PR1059-1002 dated 2015-08-13 Factory inspection dated 2015-11-23 Factory inspection dated 2017-11-22 Product test P108528-1002 dated 2017-08-10

