

# CERTIFICATE

<b>Certificate holder</b>	<b>Akatherm B.V.</b> <b>PO Box 7149</b> <b>5980 AC PANNINGEN</b> <b>NETHERLANDS</b>
<b>Production facility</b>	Dymotek, Ellington
<b>Product</b>	Air admittance valves for drainage systems
<b>Type, Model</b>	STUDOR Mini-Vent, STUDOR Mini-KNITS, OsmaVent 40
<b>Testing basis</b>	DIN EN 12380:2003-03 Certification scheme Air admittance valves for drainage systems (2003-10)
<b>Mark of conformity</b>	
<b>Registration No.</b>	011-7B003
<b>Valid until</b>	2023-12-31
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

# ANNEX

<b>Certificate</b>	011-7B003 dated 2019-02-26
<b>Technical Data</b>	Designation: A I Airflow capacity: 7,5 l/s Airtightness tested at: 30/500/10000 Pa Range of temperature: -20 °C to +60 °C Effectiveness at temperatures below 0 °C: -20 °C
<b>Testing laboratory/ Inspection body</b>	BRE Ltd Bucknalls Lane, Garston Watford WD259XX UNITED KINGDOM  NSF International Field Services 789 N. Dixboro Road Ann Arbor MI 48113 USA
<b>Test report(s)</b>	DE 661 X 215 TE 03.03.01 dated 2003-04-25 Factory inspection 320386 dated 2011-11-11 Factory inspection 320386 dated 2012-11-28 Product test 7311413-01 dated 2012-06-04 Factory inspection 3203860 dated 2013-11-01 Factory inspection dated 2014-12-17 Product test 292657 dated 2014-01-10 Factory inspection dated 2015-11-23 Factory inspection dated 2016-11-28 Product test P102977-1001 dated 2016-01-27 Factory inspection dated 2017-11-22 Product test P114319-1001 dated 2019-02-21 Factory inspection dated 2018-12-05

